











HÄCKHÖJDER OCH AVSTÅND								Från sista till mål
Klass	Sträcka	Färg + markering	Höjd	Antal	Till första	Mellan		
P13	60	Röd 	76,2	6	11,75	7,65		10,00
F13	60	Röd 	68,6	6	11,75	7,65		10,00
F15, K40-K45	80		76,2	8	12,00	8,00		12,00
P15	80		83,8	8	13,00	8,50		7,50
M70-M75, K50-K55	80		76,2	8	12,00	7,00		19,00
M80+, K60+	80		68,6	8	12,00	7,00		19,00
M50-M55	100		91,4	10	13,00	8,50		10,50
K, K22, F19, K35	100	Gul 	83,8	10	13,00	8,50		10,50
F17	100	Gul 	76,2	10	13,00	8,50		10,50
M60-M65	100		83,8	10	12,00	8,00		16,00
M, M22	110	Blå 	106,7	10	13,72	9,14		14,02
P19, M35-M45	110	Blå 	99,1	10	13,72	9,14		14,02
P17	110	Blå 	91,4	10	13,72	9,14		14,02
P13, F13, M80+, K70+	200		68,6	5	20,00	35,00		40,00
P15, F15	300		76,2	7	45,00	35,00		45,00
M60-M65, K50-K55	300		76,2	7	50,00	35,00		40,00
M70-M75, K60-K65	300		68,6	7	50,00	35,00		40,00
M, M22, P19, M35-M45	400	Grön 	91,4	10	45,00	35,00		40,00
P17, M50-M55	400	Grön 	83,8	10	45,00	35,00		40,00
K, K22, F17, F19, K35-K45	400	Grön 	76,2	10	45,00	35,00		40,00

HINDER			Antal hinder	Varav med vattengrav
Klass	Sträcka	Höjd		
P15, F17, F15	1500	76,2	15	3
P17	2000	83,8	23	5
M22, P19	2000	91,4	23	5
K22, F19, M60+, K35+	2000	76,2	23	5
M, M35-M55	3000	91,4	35	7
K	3000	76,2	35	7

KULA

Klass	Vikt kg	Diameter mm
M, M22, M35-M45	7,26	110-130
M50-M55	6,0	105-130
P19	6,0	105-125
M60-M65	5,0	100-130
P17	5,0	100-120
M70-M75	4,0	95-130
P15, K, K22, F19, K35-K45	4,0	95-110
M80+	3,0	85-130
P13, F17, F15, K50-K70	3,0	85-110
K75+	2,0	75-110
F13	2,0	75-90

DISKUS

Klass	Vikt	Ytterdiameter	Tjocklek cc	Diameter mittplattor
M, M22, M35-M45	2,00	219-221	44-46	50-57
P19	1,75	210-212	41-43	50-57
P17, M50-M55	1,50	200-202	38-40	50-57
P15, K, K22, F19, M60+, K35-K70	1,00	180-182	37-39	50-57
K75+	0,75	166-182	33-37	50-57
F15	0,75	166-169	33-37	50-57
P13, F13	0,60	155-161	30-35	50-57

SLÄGGA

Klass	Vikt kg	Maxlängd	Diameter mm
M, M22, M35-M45	7,26	1215	110-130
M50-M55	6,0	1215	105-125
P19	6,0	1215	105-125
M60-M65	5,0	1200	100-120
P17	5,0	1200	100-120
P15, K, K22, F19, M70-M75, K35-K45	4,0	1195	95-110
P13, F17, F15, M80+, K50-K70	3,0	1195	85-100
K75+	2,0	1195	85-110
F13	2,0	1000	85-100

SPJUT

Klass	Vikt	Totallängd
M, M22, M35-M45	2,00	219-221
P19	1,75	210-212
P17, M50-M55	1,50	200-202
P15, K, K22, F19, M60+, K35-K70	1,00	180-182
K75+	0,75	166-182
F15	0,75	166-169
P13, F13	0,60	155-161

VIKT

Klass	Vikt kg	Diameter mm
M	15,00	145-180
M35-M45	15,88	145-165
M50-M55	11,34	130-150
M60-M65, K35-K45	9,08	120-140
M70-M75, K50-K55	7,26	110-130
M80+, K60-K70	5,45	100-120
K75+	4,00	95-110